

**HBB**

Duct Type Filter With Cassette

### Description

The HBB type filter/cassette units are designed for duct-mounting.


### Specifications

The filter/cassette units hold the particles in ducted air. The filter can easily be cleaned by removing the securing cover. The housing frame and body are made of 1,2mm galvanized sheets. Butterfly nuts secure the filter and cover in place.

### Materials

The housing frame and body are made of 1,2mm galvanized sheets. Butterfly nuts secure the filter and cover in place.

### Dimensions



#### Standard Dimensions


E (mm)	B (mm)
300	300
400	400
500	500
600	600
700	700
800	800
900	900
1000	1000
1100	1100
1200	1200
1300	1300
1400	1400
1500	1500
1600	1600
1700	1700
1800	1800
1900	1900
2000	2000

#### Flange

f (mm)
30
35

Installation

Installed directly on a flanged product or between ducts



Technical Specification

Filter with cassette. The unit will be manufactured from 1.2mm galvanized steel sheets and incorporate a washable filter. The filter will be easily removed from, and installed into the frame by means of butterfly nuts as securing elements.

Order Code

Model	HBB.35.AA.00 -300 x300		
Frame	30 mm 35 mm		Refer to page 2
Accessories	AA..Without Accessories		
Installation	With Flange		Standard Dimensions

H

HBB

Duct Type  
Filter with Cassette

**KES KLİMA**  
INDUSTRIAL AND TRADE CO.

Uzay Çağı Caddesi No:10  
06370 Ostim/ANKARA  
Phone: +90.312.385 76 57  
Fax : +90.312.354 12 31  
[www.kesklima.com](http://www.kesklima.com)



TÜV Rheinland Group



DIN EN ISO 9001:2000  
Zertifikat: 01 100 042854